


GENERAL NOTES

- DEMOLITION:
 - DEMOLITION DRAWINGS ARE SHOWN TO ASSIST CONTRACTOR ONLY, AND ARE NOT INTENDED TO BE ALL-INCLUSIVE OR TO LIMIT EXTENT OF DEMOLITION WORK REQUIRED. CONTRACTOR SHALL VISIT SITE PRIOR TO BIDDING AND COORDINATE WITH ALL TRADES AND DRAWINGS TO DEFINE EXTENT OF DEMOLITION WORK REQUIRED TO PERFORM NEW WORK AND TO CARRY OUT THE INTENT OF THESE CONTRACT DRAWINGS.
 - OWNER HAS FIRST RIGHTS TO SALVAGE.
 - SEE ALL OTHER DOCUMENTS FOR ADDITIONAL DEMOLITION WORK TO BE PERFORMED. COORDINATE.
- PROTECT EXISTING FINISHES WHICH ARE TO REMAIN THROUGHOUT THE CONSTRUCTION PERIOD, INCLUDING CARPET, CEILING TILE, CASEWORK, WOOD TRIM AND OTHER WORK.
- TYPICAL ALL AREAS, REMOVE, SALVAGE AND REINSTALL ALL ELECTRICAL AND FIRE ALARM DEVICES, EXIT SIGNS, DOOR HOLD OPENS, FIRE EXTINGUISHER CABINETS, ROOM SIGNS, COAT RACKS, ACCESSORIES, THERMOSTATS, GRILLES, DOOR STOPS AND MAGNETIC HOLD OPEN DEVICES, AND OTHER WALL-MOUNTED WORK AS REQUIRED TO ACCOMMODATE NEW WALL FINISH WORK. OWNER WILL REMOVE ALL EXISTING ARTWORK AND NON-PERMANENT DECORATIONS PRIOR TO START OF THIS WORK.

FLOOR PLAN

SCALE: 1/8" = 1'-0"

1



KEYED NOTES

- 1 CORRIDOR AND FOYER WALLS: REMOVE ALL EXISTING SISAL WALL COVERING WAINSCOT, CHAIR RAIL, CARPET BASE WITH HARDWOOD TRIM, AND OTHER HARDWOOD TRIM. TYPICAL ENTIRE ROOM. PATCH EXISTING GYPSUM BOARD TO MATCH WHERE DISTURBED BY DEMOLITION WORK AND ADD CORNER BEADS WHERE NEEDED. SEAL, SKIM COAT, PRIME AND TEXTURE ALL WALLS FULL HEIGHT (INCLUDING CMU WALLS) WITH LIGHT ORANGE PEEL TEXTURE. PAINT ALL WALLS, NEW CARPET OR RUBBER BASE BY OWNER. INSTALL CORNER GUARDS AT ALL OUTSIDE 90° AND CORNERS FROM BASE UP 8'-0" TALL - E/A601. SEE GENERAL NOTE #3.
- 2 CLASSROOM, LOUNGE, AND READING ROOM WALLS: REMOVE ALL EXISTING ACOUSTIC WALL CARPETING, SISAL WALL COVERING WAINSCOT, CHAIR RAIL, CARPET BASE WITH WOOD TRIM, CEILING TRIM, AND OTHER HARDWOOD TRIM. TYPICAL ENTIRE ROOM. PATCH EXISTING GYPSUM BOARD TO MATCH WHERE DISTURBED BY DEMOLITION WORK AND ADD CORNER BEADS WHERE NEEDED. SEAL, SKIM COAT, PRIME AND TEXTURE ALL WALLS FULL HEIGHT WITH LIGHT ORANGE PEEL TEXTURE. PAINT ALL WALLS, ACCENT PAINT COLOR ON WALLS WHERE NOTED. NEW CARPET OR RUBBER BASE BY OWNER. INSTALL CORNER GUARDS AT ALL OUTSIDE 90° AND CORNERS FROM BASE UP 8'-0" TALL - E/A601. NEW RUB STRIPS D/A601 ON ALL WALLS EXCEPT BEHIND NEW WRITEABLE WALL BOARDS. SEE GENERAL NOTE #3.
- 3 VESTIBULE WALLS: REMOVE ALL EXISTING SISAL WALL COVERING WAINSCOT, CHAIR RAIL AND CARPET BASE WITH HARDWOOD TRIM. TYPICAL ENTIRE ROOM. PATCH EXISTING GYPSUM BOARD TO MATCH WHERE DISTURBED BY DEMOLITION WORK AND ADD CORNER BEADS WHERE NEEDED. SEAL, SKIM COAT, PRIME AND TEXTURE ALL WALLS FULL HEIGHT (INCLUDING BRICK AND CMU WALLS) WITH LIGHT ORANGE PEEL TEXTURE. PAINT ALL WALLS, NEW CARPET OR RUBBER BASE BY OWNER. SEE GENERAL NOTE #3.
- 4 OFFICE WALLS: REMOVE ALL EXISTING ACOUSTIC WALL CARPETING, SISAL WALL COVERING WAINSCOT, CHAIR RAIL, CARPET BASE WITH WOOD TRIM, CEILING TRIM, WINDOW CASINGS, AND OTHER HARDWOOD TRIM. TYPICAL ENTIRE ROOM. PATCH EXISTING GYPSUM BOARD TO MATCH WHERE DISTURBED BY DEMOLITION WORK AND ADD CORNER BEADS WHERE NEEDED. SEAL, SKIM COAT, PRIME AND TEXTURE ALL WALLS FULL HEIGHT WITH LIGHT ORANGE PEEL TEXTURE. PAINT ALL WALLS, NEW CARPET OR RUBBER BASE BY OWNER. SEE GENERAL NOTE #3.
- 5 SECRETARY AND WORKROOM WALLS: PAINT ALL EXISTING WALLS. PROTECT EXISTING CARPET BASE TO REMAIN.
- 6 EXISTING ACCORDION FOLDING PARTITION TO REMAIN.
- 7 REMOVE EXISTING ACCORDION FOLDING PARTITION, HEADER TRACK, JAMBS AND RELATED WORK. PATCH GYPSUM BOARD AT BOTTOM OF REMAINING HEADER AREA. TEXTURE FURRED HEADERS ABOVE WITH LIGHT ORANGE PEEL AND PAINT.
- 8 REMOVE EXISTING DOOR, FRAME AND HARDWARE. REMOVE EXISTING WALL, FURRING AND RELATED WORK DOWN TO EXISTING 4"x4" STEEL POST. PREPARE AND PAINT (3) POSTS TO REMAIN TO SUPPORT EXISTING BEAM ABOVE (SW7563).
- 9 REMOVE EXISTING FOLDING PARTITION, HEADER TRACK, JAMBS AND RELATED WORK. INSTALL NEW POWDER COATED SHEET METAL COVER ON EXISTING SUSPENDED LAY-IN CEILING SYSTEM TRACKS TO REMAIN.
- 10 REMOVE EXISTING VISUAL DISPLAY BOARD.
- 11 REMOVE EXISTING PROJECTION SCREEN.
- 12 NEW WRITEABLE WALL BOARDS ON FINISHED PAINTED WALL BY OWNER UNDER SEPARATE CONTRACT. MOUNTED ON WALLS FROM 2'-0" AFF TO 8'-0" AFF.
- 13 ACCENT PAINT COLOR THIS WALL, FLOOR TO CEILING, CORNER TO CORNER. RUB STRIPS DIA#01 AT THIS WALL TO BE ACCENT COLOR. SEE COLOR SCHEDULE.
- 14 CAULK, LIGHTLY SAND, PREPARE AND PAINT EXISTING HOLLOW METAL DOOR FRAME - BOTH SIDES. NEW SMOKE GASKETS. METAL LITE FRAMES (WHERE OCCUR) TO REMAIN AS EXISTING.
- 15 LIGHTLY SAND AND PAINT EXISTING HARDWOOD CASINGS AROUND WINDOW FRAMES, BOTH SIDES.
- 16 REMOVE EXISTING DRAPERIES AND/OR MINI BLINDS. PROTECT EXISTING WINDOW STOOL. TEXTURE WALL BELOW STOOL TO MATCH NEW WALLS AND CAULK WINDOW BEFORE PAINTING. NO NEW WINDOW TREATMENTS.
- 17 REMOVE EXISTING DRAPERIES ABOVE STOREFRONT.
- 18 REMOVE EXISTING DRAPERY (WHERE OCCURS). REMOVE AND REINSTALL EXISTING MINI-BLINDS AS REQUIRED TO ACCOMPLISH NEW WORK. PROTECT EXISTING WINDOW STOOL TO REMAIN.
- 19 PROTECT EXISTING CABINETS TO REMAIN. TOUCH UP STAIN AND ADD ONE COAT FINISH. PROTECT EXISTING COUNTER TOPS (WHERE OCCUR) TO REMAIN.
- 20 REMOVE EXISTING BOOKSHELVES, CABINETS AND COUNTERTOPS - TYPICAL ENTIRE ROOM.
- 21 REMOVE AND REINSTALL EXISTING COAT RACK AND HOOK STRIP. PAINT HARDWOOD AT HOOK STRIP TO MATCH WALL COLOR.
- 22 RECAULK EXISTING STOREFRONT AT PAINTED WALLS.
- 23 REMOVE AND REINSTALL EXISTING DRINKING FOUNTAIN. NEW TILE AT WALLS AND FLOOR WITH CORNER GUARDS SIMILAR TO NOTE #24 BELOW.
- 24 REMOVE EXISTING CERAMIC TILE AND BACKER BOARD AT WALLS AND PAVER TILE AT FLOORS. NEW CERAMIC TILE WAINSCOT AND COVED BASE ON NEW TILE BACKER BOARD. EXTEND UP 5'-0" ABOVE FLOOR WITH SCHLUTER TRIM AT TOP. NEW 12"x12" PAVER TILE WITH TERRAZZO METAL EDGE AT FLOOR. NEW PATCHED GYPSUM BOARD, TEXTURE AND PAINT ABOVE TILE WAINSCOT TO CEILING. REMOVE EXISTING DRINKING FOUNTAIN AND REPLACE WITH NEW FOUNTAIN WITH WATER BOTTLE FILLER. RE-ROUGH PLUMBING AS REQUIRED. SEE PLUMBING FIXTURE SCHEDULE AND F/A601.
- 25 SEE SHEET E101 FOR NEW TELEVISIONS AND ELECTRICAL WORK AT THIS ROOM, INCLUDING NEW BACKING IN EXISTING WALLS AND PATCHING FOR NEW ELECTRICAL WORK.
- 26 REMOVE EXISTING WINDOW, FRAME AND CASINGS. INSTALL NEW 2x FRAMING WITH FULL THICK ACOUSTICAL INSULATION AND GYPSUM BOARD EACH SIDE. FINISH AND TEXTURE WALL FINISHES AT ROOM EACH SIDE.
- 27 PAINT EXISTING HARDWOOD CEILING TRIM ABOVE.

bradley gygi architect & associates, pllc

PO Box 621048 | Salt Lake City, UT 84152
801-747-2451

gygi

STATE OF UTAH
BRADLEY G. GYGI
No. 6112725
LICENSED ARCHITECT

EPHRAIM UT INSTITUTE
UTSO S&I
51 NORTH 100 EAST
EPHRAIM, UT


PROJECT FOR:
THE CHURCH OF JESUS CHRIST OF LATTER-DAY SAINTS

PROJECT NUMBER: 51185492202101
DATE: 1 MAR 2023
PROPERTY NUMBER: 5118549

DRAWN BY: BGG CHECKED: BGG

SHEET TITLE:
FLOOR PLANS


SHEET:
A101



ACCENT COLOR AND WRITABLE WALLS PLAN

SCALE: 1/8" = 1'-0"

1



EPHRAIM UT INSTITUTE
 UTSO S&I
 51 NORTH 100 EAST
 EPHRAIM, UT


PROJECT FOR:
 THE CHURCH OF
JESUS CHRIST
 OF LATTER-DAY SAINTS

PROJECT NUMBER:
 511854922020101
 DATE:
 1 MAR 2023
 PROPERTY NUMBER:
 5118549

DRAWN BY:
 BGG
 CHECKED:
 BGG

SHEET TITLE:
 ACCENT
 COLOR AND
 WRITABLE
 WALLS PLAN


SHEET:
 A102



RUBBER BASE DETAIL

SCALE: HALF


A



CARPET BASE DETAIL

SCALE: HALF


B



TILE BASE COVE TRIM

SCALE: 1 1/2" = 1'-0"


C



RUB STRIPS

SCALE: HALF


D



VINYL CORNER GUARD AT WALL CORNERS

SCALE: NONE

E



DRINKING FOUNTAIN TILE

SCALE: 1/2" = 1'-0"

F

INTERIOR COLORS

WALLS AND DOOR, WINDOW FRAMES
Sherwin Williams SW7563 Restful White

ACCENT WALLS
113, 131: Sherwin Williams SW0020 Peacock Plume
136: Sherwin Williams SW0030 Colonial Yellow

WOOD TRIM
Sherwin Williams SW7563 Restful White

CORNER GUARDS
See Specification Section 10 2613.
InPro: White Sand 0103
Acrolyn: 517 Teton White
Pawling: 554 Mission White
Koroseal: Feather

RUB STRIPS
See Specification Section 10 2613.
WALLS: SW7563
InPro: White Sand 0103
Acrolyn: 517 Teton White
Pawling: 554 Mission White
Koroseal: Feather
ACCENT WALLS: SW0020
InPro: 0125 English Green
Acrolyn: 517 Teton White
Pawling: 377 Teal
Koroseal: Feather
ACCENT WALLS: SW0030
InPro: 0232 Linen
Acrolyn: 517 Teton White
Pawling: 569 Saffron
Koroseal: Feather

FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WALLS	CEILING	CEILING HEIGHT	SPECIAL TRIM OR EQUIPMENT
MAIN LEVEL							
101	VESTIBULE	F1	B1	W3	C2	9'-0"±	S1
102	OFFICE	F1	B1	W2	C2	9'-0"±	S1,S4,S7,S10
103	OFFICE	F1	B1	W2	C2	9'-0"±	S1,S4,S10
104	OFFICE	F1	B1	W2	C2	9'-0"±	S1,S4,S10
105	OFFICE	F1	B1	W2	C2	9'-0"±	S1,S4,S7,S10
106	CORRIDOR	F1	B1	W1	C2	9'-0"±	S1,S2,S4,S7,S8
107	OFFICE	F1	B1	W2	C2	9'-0"±	S1,S4,S10
108	OFFICE	F1	B1	W2	C2	9'-0"±	S1,S4,S10
109	OFFICE	F1	B1	W2	C2	9'-0"±	S1,S4
110	VESTIBULE	F1	B1	W3	C2	9'-0"±	S1
111	FOYER	F1	B1	W1	C2	9'-0"±	S1,S2,S4,S14
112	READING	F1,F2	B1	W2,W5	C1	9'-0"±	S1,S3,S4,S6,S9
113	CORRIDOR	F1	B1	W1	C2	9'-0"±	S1,S2,S4,S5,S15
114	OFFICE	F1	B1	W2	C1	9'-0"±	S1,S4,S7,S10
115	WORK ROOM	F1	B2	W4	C1	9'-0"±	S1,S4,S7,S10
116	SECRETARY	F1	B2	W4	C1	9'-0"±	S1,S4,S5,S7
117	VESTIBULE	F1	B1	W3	C2	9'-0"±	S1
118	FOYER	F1	B1	W1	C2	9'-0"±	S1,S2,S4,S14,S15
119	OFFICE	F1	B1	W2	C2	9'-0"±	S1,S4,S7,S10
120	OFFICE	F1	B1	W2	C2	9'-0"±	S1,S4,S7
121	OFFICE	F1	B1	W2	C2	9'-0"±	S1,S4,S7,S10
122	OFFICE	F1	B1	W2	C2	9'-0"±	S1,S4,S7
123	CORRIDOR	F1	B1	W1	C2	9'-0"±	S1,S2,S4,S7,S8
124	OFFICE	F1	B1	W2	C2	9'-0"±	S1,S4,S7,S10
125	OFFICE	F1	B1	W2	C2	9'-0"±	S1,S4,S7
126	OFFICE	F1	B1	W2	C2	9'-0"±	S1,S4,S7,S10
127	OFFICE	F1	B1	W2	C2	9'-0"±	S1,S4,S7,S10
128	VESTIBULE	F1	B1	W3	C2	9'-0"±	S1
129	CORRIDOR	F1,F2,F3	B1	W1,W6	C2	9'-0"±	S1,S2,S4,S8,S13
130	LOUNGE	F1,F2	B1	W2,W5	C1,C3	VARIABLES	S1,S2,S4,S9,S11
131	CORRIDOR	F1	B1	W1	C2	9'-0"±	S1,S2,S4
132	CORRIDOR	F1,F3	B1	W1,W6	C2	9'-0"±	S1,S2,S4,S8,S12
133	CORRIDOR	F1	B1	W1	C2	9'-0"±	S1,S2,S4,S5
134	CLASSROOM	F1	B1	W2,W5	C1	VARIABLES	S1,S3,S4,S6,S9
135	VESTIBULE	F1	B1	W3	C2	21'-5"±	S1,S2
136	VESTIBULE	F1	B1	W3	C2	21'-5"±	S1,S2
137	CORRIDOR	F1,F3	B1	W1,W6	C2	9'-0"±	S1,S2,S4,S8,S12
138	CORRIDOR	F1	B1	W1	C2	9'-0"±	S1,S2,S4,S8

F FLOOR

- F1 EXISTING CARPET TO REMAIN. PROTECT.
- F2 NEW CARPET PATCH (BY OWNER).
- F3 NEW 12"x12" PAVER TILE WITH SCHLUTER EDGE AT DRINKING FOUNTAINS.

B BASE

- B1 NEW RUBBER BASE A/A601 OR CARPET BASE B/A601 BY OWNER
- B2 EXISTING CARPET BASE TO REMAIN.
- B3 WALL TILE TO FLOOR

W WALLS

- W1 REMOVE ALL EXISTING SISAL WALL COVERING WAINSCOT. PATCH EXISTING GYPSUM BOARD TO MATCH WHERE DISTURBED BY DEMOLITION WORK. SEAL, SKIM COAT, PRIME AND TEXTURE ALL WALLS FULL HEIGHT (INCLUDING CMU WALLS) WITH LIGHT ORANGE PEEL TEXTURE. PAINT ALL WALLS.
- W2 REMOVE ALL EXISTING ACOUSTIC WALL CARPETING AND SISAL WALL COVERING WAINSCOT. PATCH EXISTING GYPSUM BOARD TO MATCH WHERE DISTURBED BY DEMOLITION WORK. SEAL, SKIM COAT, PRIME AND TEXTURE ALL WALLS FULL HEIGHT WITH LIGHT ORANGE PEEL TEXTURE. PAINT ALL WALLS.
- W3 REMOVE ALL EXISTING SISAL WALL COVERING WAINSCOT. PATCH EXISTING GYPSUM BOARD TO MATCH WHERE DISTURBED BY DEMOLITION WORK. SEAL, SKIM COAT, PRIME AND TEXTURE ALL WALLS FULL HEIGHT (INCLUDING BRICK WALLS) WITH LIGHT ORANGE PEEL TEXTURE. PAINT ALL WALLS.
- W4 PAINT ALL EXISTING WALLS.
- W5 ACCENT PAINT COLOR ON WALL(S) WHERE NOTED.
- W6 NEW CERAMIC TILE AT DRINKING FOUNTAIN. SEE F/A601.
- W7 EXISTING TILE AT DRINKING FOUNTAINS TO REMAIN. CAULK EDGES AT NEW PAINTED AND TEXTURED WALLS.

C CEILING

- C1 EXISTING 24"x48" SUSPENDED ACOUSTIC PANEL CEILING TO REMAIN.
- C2 EXISTING CEILING TILE WITH J-MOLD AT WALLS TO PATCH TO MATCH WHERE DISTURBED.
- C3 PATCH EXISTING FURRED GYPSUM BOARD AT HEADERS WHERE FOLDING PARTITIONS AND TRACKS ARE REMOVED. TEXTURE WITH LIGHT ORANGE PEEL AND PAINT.


S SPECIAL TRIM OR EQUIPMENT

- S1 TYPICAL ALL AREAS: REMOVE, SALVAGE AND REINSTALL ALL ELECTRICAL AND FIRE ALARM DEVICES, EXIT SIGNS, DOOR HOLD OPENS, FIRE EXTINGUISHER CABINETS, ROOM SIGNS, COAT RACKS, ACCESSORIES, THERMOSTATS, GRILLES, DOOR STOPS AND MAGNETIC HOLD OPEN DEVICES, AND OTHER WALL-MOUNTED WORK AS REQUIRED TO ACCOMMODATE NEW WALL FINISH WORK.
- S2 VINYL CORNER GUARD(S) AT ALL ALL OUTSIDE 90° AND 45° CORNERS FROM BASE UP 8'-0" TALL. SEE E/A601.
- S3 VINYL RUB STRIPS AT ALL WALLS EXCEPT BEHIND WRITEABLE WALL BOARDS. ACCENT COLOR AT ACCENT PAINTED WALLS. D/A601.
- S4 DOOR FRAME PAINTING - SEE FLOOR PLAN WINDOW FRAME AND CASINGS PAINTING - SEE FLOOR PLAN
- S5 WRITEABLE WALLS (BY OWNER)
- S6 PROTECT EXISTING CABINETS TO REMAIN. TOUCH UP STAIN AND ADD ONE COAT FINISH.
- S7 EXISTING FIRE EXTINGUISHER CABINET TO PROTECT IN PLACE OR REMOVE AND REINSTALL.
- S8 NO WINDOW TREATMENTS
- S9 EXISTING MINI BLINDS - REMOVE AND REINSTALL
- S10 NEW TELEVISIONS AND WALL MOUNTS. PROVIDED BY OWNER, INSTALLED BY CONTRACTOR.
- S11 NEW DRINKING FOUNTAIN - SEE F/A601.
- S12 EXISTING DRINKING FOUNTAIN TO REMAIN. REMOVE AND REINSTALL FOR NEW TILE.
- S13 EXISTING COAT RACKS TO REMAIN. REMOVE AND REINSTALL.
- S14 PAINT EXISTING HARDWOOD TRIM ON CEILING

GENERAL FINISH NOTES:

- WHERE NO FINISHES ARE LISTED ON THIS SCHEDULE, EXISTING IS TO REMAIN. PATCH TO MATCH IF DISTURBED BY THIS NEW WORK.
- PROTECT EXISTING FINISHES WHICH ARE TO REMAIN THROUGHOUT THE CONSTRUCTION PERIOD, INCLUDING CEILING TILE, HARDWOOD FLOORS, CASEWORK, WOOD TRIM AND OTHER WORK.
- SEE SHEET A101 FOR DOOR FRAME AND WINDOW FRAME PAINTING NOTES AND CAULKING NOTES.
- OWNER WILL REMOVE ALL EXISTING ARTWORK AND NON-PERMANENT DECORATIONS PRIOR TO START OF THIS WORK.

bradley gygi architect & associates, p.c.
PO Box 621048 | Salt Lake City, UT 84152
801-747-2451



EPHRAIM UT INSTITUTE
UTSO S&I
51 NORTH 100 EAST
EPHRAIM, UT


PROJECT FOR:
THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY SAINTS

PROJECT NUMBER:
511854922020101
DATE:
1 MAR 2023
PROPERTY NUMBER:
5118549


DRAWN BY: BGG
CHECKED: BGG

SHEET TITLE:
FINISH SCHEDULE AND DETAILS


SHEET:
A601




WALL MOUNTED FLAT PANEL DETAIL A
SCALE: NONE



USB CHARGING RECEPTACLE B
SCALE: NONE



PARTIAL ELECTRICAL FLOOR PLAN 1
SCALE: 1/4" = 1'-0"



GENERAL ELECTRICAL NOTES

- WHERE AFFECTED BY DEMOLITION OR NEW CONSTRUCTION, RELOCATE, EXTEND OR REPAIR RACEWAYS, CONDUCTORS, OUTLETS AND APPARATUS TO ALLOW CONTINUED USE OF ELECTRICAL SYSTEM. USE METHODS AND MATERIALS AS SPECIFIED FOR NEW CONSTRUCTION.
- REROUTE ANY EXISTING CONDUIT OR ELECTRICAL FIXTURES OR DEVICES WHICH ARE ENCOUNTERED DURING THE DEMOLITION OR WHICH ARE CONFLICTING WITH NEW CONSTRUCTION FOR THIS PROJECT. REROUTE THE CONDUIT AND MAINTAIN THE SERVICE OR MOVE FIXTURES AND APPLIANCES AS REQUIRED TO ACCOMMODATE THE WORK OF OTHER TRADES DURING THIS CONSTRUCTION. MOVE OR REMOVE FIXTURES AND DEVICES TO ACCOMMODATE OTHER TRADES DURING THIS CONSTRUCTION AND REINSTALL THE SAME AT THE CONCLUSION OF THE PROJECT.
- CIRCUIT NEW LIGHT FIXTURES, DEVICES, MOTORS AND FIXTURES TO EXISTING PANEL. PROVIDE NEW BREAKERS, CONDUIT AND WIRE AS REQUIRED FOR INSTALLATION.
- PROVIDE RACEWAYS AND BOXES CALLED OUT IN MECHANICAL DRAWINGS. SEE MECHANICAL DRAWINGS AND COORDINATE WITH MECHANICAL CONTRACTOR.
- NO SURFACE-MOUNTED CONDUIT WILL BE ALLOWED ON PROJECT. PATCH AND REPAIR WALLS AND CEILINGS THAT ARE DAMAGED BY ELECTRICAL DEMOLITION AND INSTALLATION. SAW-CUT THROUGH WALLS AS REQUIRED TO CONCEAL ALL CONDUIT. FIELD VERIFY EXISTING CONDITIONS.
- AT REMODELED ROOMS, REPLACE ALL EXISTING OUTLETS, SWITCHES, COVER PLATES AND OTHER DEVICES WHICH ARE NOT REMOVED FOR THIS WORK WITH NEW. ALL NEW DEVICES AND COVER PLATES TO BE WHITE COLOR.
- MAINTAIN POWER AND SWITCHES FOR EXISTING LIGHTING AND OUTLETS AT ALL ADJACENT AREAS.



ELECTRICAL KEYED NOTES

- REMOVE EXISTING OUTLET. REPLACE WITH NEW STANDARD OUTLET IN EXISTING LOCATION.
- REMOVE EXISTING OUTLET. REPLACE WITH NEW USB TYPE A / TYPE C CHARGING OUTLET IN EXISTING LOCATION.
- REMOVE EXISTING SWITCH WHERE EXISTING WALL IS REMOVED. REROUTE WIRING AND PROVIDE NEW CONDUIT AS REQUIRED TO NEW LOCATION. INSTALL NEW SWITCH IN NEW LOCATION.
- REMOVE AND SALVAGE EXISTING THERMOSTAT WHERE EXISTING WALL IS REMOVED. REROUTE WIRING AND PROVIDE NEW CONDUIT AS REQUIRED TO NEW LOCATION. REINSTALL EXISTING THERMOSTAT IN NEW LOCATION.
- INSTALL NEW 75" FLAT PANEL MONITOR AND WALL MOUNT (PROVIDED BY OWNER). INSTALL NEW BACKING IN WALLS PER DETAIL A/E101 AND COORDINATE WITH ACTUAL WALL MOUNT PROVIDED. PATCH GYPSUM BOARD WALLS.
- NEW 15A OUTLET ON NEW CIRCUIT FROM NEAREST ELECTRICAL PANEL WITH NEW 15A BREAKER. PATCH GYPSUM BOARD WALLS. MOUNT IN AV BACKBOX.
- NEW LARGE CAPACITY JUNCTION BOX WITH FLANGE KIT AND COVER. INSTALL TWO 1" Ø CONDUITS TO JUNCTION BOX AT OTHER DISPLAY. PATCH GYPSUM BOARD WALLS. SEE A/E101.
- EXISTING AV CONTROL PANEL TO REMAIN. PROTECT.
- EXISTING MICROPHONE OUTLET TO REMAIN. PROTECT.
- EXISTING VIDEO OUTLET OR INPUT DEVICE TO REMAIN. PROTECT.
- EXISTING DATA OUTLET TO REMAIN. PROTECT.

ELECTRICAL SYMBOLS LEGEND

	LIGHT FIXTURE
	LIGHT FIXTURE WITH EMERGENCY BATTERY PACK
	EXHAUST FAN (MOTOR OUTLET)
	OCCUPANCY SENSOR CEILING MOUNT, ULTRASONIC
	OCCUPANCY SENSOR WALL SWITCH, PASSIVE INFRARED
	SINGLE POLE SWITCH
	DUPLEX RECEPTACLE OUTLET
	DUPLEX RECEPTACLE OUTLET WITH USB CHARGING PORTS
	GFCI DUPLEX RECEPTACLE OUTLET
	TELEPHONE OUTLET
	DATA OUTLET

bradley gygi architect & associates, pllc
PO Box 621048 | Salt Lake City, UT 84162
801-747-2451



EPHRAIM UT INSTITUTE
UTSO S&I
51 NORTH 100 EAST
EPHRAIM, UT


PROJECT FOR:
THE CHURCH OF JESUS CHRIST OF LATTER-DAY SAINTS

PROJECT NUMBER:
511854922020101
DATE:
1 MAR 2023
PROPERTY NUMBER:
5118549

DRAWN BY: BGG
CHECKED: BGG

SHEET TITLE:
ELECTRICAL FLOOR PLAN

SHEET:
E101



NOTE
SEE DIVISION 01 SPECIAL REQUIREMENTS OF SPECIFICATIONS FOR INSTRUCTIONS CONCERNING OWNER FURNISHED ITEMS.


FURNISHED BY	ITEM	BRAND	STYLE OR TYPE	COLOR
OWNER	CARPET	SEE DIV. 09 FOR SPECS	MOWHAWKLEES, NAUVOO	COLUMBINE

FURNISHINGS FLOOR PLAN

SCALE: 1/8" = 1'-0"

1

bradley gygi architect & associates, pllc
 PO Box 621048 | Salt Lake City, UT 84152
 801-747-2451



EPHRAIM UT INSTITUTE
 UTSO S&I
 51 NORTH 100 EAST
 EPHRAIM, UT

PROJECT FOR:
 THE CHURCH OF
JESUS CHRIST
 OF LATTER-DAY SAINTS

PROJECT NUMBER: 511854922020101
DATE: 1 MAR 2023
PROPERTY NUMBER: 5118549

DRAWN BY: BGG	CHECKED: BGG
------------------	-----------------

SHEET TITLE:
FURNISHINGS FLOOR PLAN

SHEET:
F101