
SPRING CREEK 2, 4, 7



VICINITY MAP SPRINGVILLE, UTAH

ARCHITECT & CONSULTANTS

ARCHITECT
KNELL, ARCHITECTS P.C.
45 EAST 300 NORTH
PROVO, UTAH 84606

PHONE (801) 373-6134 FAX (801) 377-1061 STANDARD SYMBOLS LEGEND

DETAIL

A1.3

DETAIL LETT SHEET NUMBER

SECTION LESS SHEET NUMBER

SECTION LESS SHEET NUMBER

SHEET NUM

SHEET REFERENCE

B
SCAL

ROOM NUMBER

ELEVATION

ELEVATION (VIEW)

(DATUM)

B ELEVATION LETTE SHEET NUMBER

ELEVATION 100'-0"

D	RAWING INDEX
SHEET NUMBER	SHEET TITLE
	GENERAL
	COVER SHEET
G1.0	INDEX SHEET
0	
	ARCHITECTURAL
A1.1	FLOOR PLAN
A1.2	ENLARGED FLOOR PLAN AND ELEVATIONS
A1.3	ENLARGED ELECTRICAL, PLUMBING, MECHANICAL

KNELL ARCHITECTS, P.C. 45 EAST 300 NORTH, PROVO, UTAH 84606 PHONE: (800) 373-6134 FAX: (800) 377-1061

Stamp: 7/3/18 7/35128 7/35128

RING CREEK 2, 4,

THE CHURCH OF

JESUS CHRIST
OF LATTER-DAY SAINTS

16–1029)\(G1.0 INDEX.dwg 03 Jul 2018 4:15pm Project Number: 516102918020101


Project Number:
516102918020101
Plan Series:
R & I
Property Number:
516102918020101


Sheet Title:


INDEX SHEET

Sheet:

G1.0








- INDICATED FIXTURES. PROVIDE AN UNSWITCHED CIRCUIT LEG FOR MONITORING AND BATTERY CHARGING, REFER TO SPECIFICATION FOR MORE REQUIREMENTS
- 2. INSTALL ALL MISCELLANEOUS ITEMS THAT WERE SAVED TO WALLS IN PROPER LOCATION

ARGED PLUMBING PLAN RESTROOMS



<u>NOTE:</u>

- 1. CONNECT NEW PLUMBING VENTS TO EXISTING VENTS THRU ATTIC AND ROOF. CUT HOLE IN EXISTING MOTHERS ROOM CEILING TO ACCESS VENTS. REPAIR HOLE IN CEILING GYPSUM BOARD AND PROVIDE INSULATION WHERE REMOVED.
- 2. INSTALL ALL MISCELLANEOUS ITEMS THAT WERE SAVED TO WALLS IN PROPER LOCATION




		STANDARD F	- X T L	JRE SCH	HEDULE		
TYPE		MANUFACTURER	LOAD	LAMPS	MOUNTING	REMARKS	SYMBOL
	NAME	CATALOG NUMBER	(VA)	TYPE			
F1	DAY-BRITE	OWN232-UNV-1/2-EB	56	2-28W	SURFACE	4'x10" FIXTURE WITH	
	METALUX	WN-232A-UNV-GE-GE232MAXLULTRA-U		T8		WRAP AROUND	4'x10"
	H.E. WILLIAMS	17-4-L55/8XX-A-DIM-UNV		3000K		ACRYLIC LENS.	
	LSI	WNA10-232-SSOLR-UE				*ELECTRONIC	
	LITHONIA	SB232 MVOLT APLP				BALLAST SEE SPEC. 265100	
	COLUMBIA	AWN-232				203100	

ENLARGED ELECTRICAL RESTROOMS

		ELEC	TRICAL E	XHAUST F	AN SCHEDULE			
SYM	DESCRIPTION	CIRCUIT	FEEDER	VOLTS/Ø	DISCONNECT	STARTER	HP/WATTS	FLA
EF 1	EXHAUST FAN	A-25	2 #12	120/1	-	_	100 W	.8


P L	.UMB	ΙN	G	FI	X	T U	RE SCHEDULE		
MARK	FIXTURE	PIPE SIZE					REMARKS		
	11/(101(2	TRAP	WASTE	VENT	C.W.	H.W.	NEWANNS		
(L-1)	LAVATORY	1-1/4"	1-1/4"	1-1/2"	1/2"	1/2"	COUNTER TOP ADA COMPLIANT, WALL MOUNTED (1) (2)		
L-2	LAVATORY	1-1/4"	1-1/4"	1-1/2"	1/2"	1/2"	SELF SUPPORTING 20"X18", SEE ARCHITECTURAL ELEVATIONS		
WC-1	WATER CLOSET	INT.	4"	2"	1/2"	_	FLUSH TANK, 18" RIM HEIGHT (ADA APPROVED)		
FD-1	FLOOR DRAIN	2"	2"	2"	_	_	WITH DEEP SEAL P-TRAP & 'TRAPGUARD'. SEE DETAIL C/A1.3		
MV-1	MIXING VALVE	_	_	_	1/2"	1/2"	FOR LAVATORIES SEE DETAIL B/A1.3		

① WHEN MOUNTED PER ARCHITECTURAL ELEVATIONS, ADA ACCESSIBILITY REQUIREMENTS ARE SATISFIED 2) PROVIDE MIXING VALVE



MIXING VALVE)

MIXING VALVE PIPING SCHEME



DESCRIPTION FLOOR BASE EXISTING CARPET TO REMAIN NONE Carpet base F2 CERAMIC TILE NONE CH CEILING HEIGHT WALLS CH1 7'-11 1/2" 2X4 W/ 5/8" GYPSUM-PAINTED EXISTING MASONRY - PAINTED GYPSUM - TEXTURED & PAINTED CERAMIC TILE ALL PAINT IS COLOR LEVEL II UNLESS NOTED OTHERWISE CEILING 5/8" GYPSUM BOARD-PAINTED

W3

B1 W1,W4

SPECIAL TRIM OR EQUIPMENT

S1 GRAB BARS S2 WOOD TRIM

SEE NOTE 1

-PATCH CEILING

WHERE WALL

WAS REMOVED

1. FURNISH AND INSTALL 90 MINUTE REMOTE EMERGENCY BATTERY PACK IN THE

BATTERY CHARGING, REFER TO SPECIFICATION FOR MORE REQUIREMENTS

2. INSTALL ALL MISCELLANEOUS ITEMS THAT WERE SAVED TO WALLS IN PROPER

3. CIRCUIT EXHAUST FAN WITH THE ROOM LIGHTS AND CONTROL WITH OCCUPANCY

SERVES ROOM

3 PROVIDE BACKDRAFT DAMPER AND BALANCING DAMPER.

FINISH

MOTHERS ROOM

(1) CONTROL: INTERLOCK WITH LIGHTS 2) VOLTAGE IS 115V / 1 PHASE / 60 HZ

ROOM NAME

MAIN FLOOR

101 | ROOM

2 ROOM

INDICATED FIXTURES. PROVIDE AN UNSWITCHED CIRCUIT LEG FOR MONITORING AND

ARGED REFLECTED CEILING PLAN

MIN. U

S.C.F.M.

75

EXHAUST FAN SCHEDULE

STATIC

PRESSURE

IN. W.G.

0.375

MINIMUM

WATTS

81W

SCHEDULE

C1

CH1 S1, S2

NEW SWITCH ----

PROVIDE NEW SWITCH

IN EXISTING LOCATION —

NOTE:

- 1. ALL ITEMS ARE NEW UNLESS NOTED AS EXISTING
- 2. WOOD TRIM AT CEILING TO BE PAINTED TO MATCH EXISTING
- 3. REINSTALL ACCESSORIES REMOVED TO BE REINSTALLED AS DIRECTED BY ARCHITECT

Architect / Engineer: PROVIDE NEW EXHAUST FAN CONNECT TO EXISTING WITH NEW 6" FLEXIBLE DUCT. SWITCH SEPARATELY FOR ROOM 101, 102 — PAINT ENTIRE CEILING CLEAN AND REFURBISH EXISTING EXHAUST FAN - INSTALL NEW 1'X4' LIGHT FIXTURE PROVIDE 90 MINUTE BATTERY PACK NEW 1 1/2" x 3/8" CEILING WOOD TRIM ENTIRE ROOM REPAIR CRACK ABOVE DOOR AND REPAINT ENTIRE WALL AND DOOR FRAME

Stamp: 7/3/18

JESUS CHRIST OF LATTER-DAY SAINTS

516102918020101 Plan Series:

R & I Property Number: 516102918020101

ENLARGED RESTROOM, ELECTRICAL PLUMBING, **MECHANICAL**

Sheet:

A1.3

1 2 3

NORTH

REMARKS

SPECIAL TRIM OR

EQUIPMENT

Sheet Title: